SOUTHWEST AREA

Supplement to ICS-209, Smoke Management Reporting

The Southwest Coordinating Group (SWCG) notified all field units via memorandum (April 27, 2004 – Smoke Monitoring via the ICS-209) that additional fuel and smoke dispersion information was required to be reported in **Block 32 or 44** on the **ICS-209** form for all large Wildland Fires and Wildland Fire Use incidents in the Southwest Area (i.e. Fires >100 acres in Timber and Slash, and >300 acres in grass and brush). This direction was made in order to meet smoke management requirements for the New Mexico Air Quality Bureau and the Arizona Department of Environmental Quality - Air Quality Division.

Updated: 10/01/04

Because the States of Arizona and New Mexico have different needs, the following specific guidelines are provided to assist IM Teams and individual units in inserting this information on the ICS-209. General reporting guidelines for completion of the ICS-209 are stated in Chapter 20, Section 25, of the SWA Mobilization Guide.

NEW MEXICO

For Wildland Fire, including Containment and Appropriate Management Response, and Wildland Fire Use incidents on units within the State of New Mexico, insert the following information in Block 32 or 44 on each ICS-209.

- 1- Each **Fuel Model** (Fire Behavior Fuel Model) that fire burned through. Use Reference Table (A) below.
- 2- Corresponding **Acres*** burned per Fuel Model.
- 3- Corresponding Fuel Load* for each fuel model
- 4- Corresponding Intensity* of burn for each fuel model (i.e. Light, Moderate, Heavy)

EXAMPLE 1: At the time the ICS-209 is submitted, the total perimeter acres being reported in Block 15 is 1,200. The difference in the acreage since the last submission of the ICS-209 is 200. If, of the 200 acres, the specific blackened acreage <u>IS NOT</u> known, then the entry in Block 32 or 44 would be: (where **PA** stands for "perimeter acres")

- 1. Fuel Model 2, Acres=PA150, Fuel Load=6.0, Intensity=High Or FM-2, PA150, 6.0, H
- 2. Fuel Model 11, Acres=PA50, Fuel Load=8.0, Intensity=Mod Or FM-11, PA50, 8.0, M

EXAMPLE 2: At the time the ICS-209 is submitted, the total perimeter acres being reported in Block 15 is 1,200. The difference in the acreage since the last submission of the ICS-209 is 200. If, of the 200 acres, the specific blackened acreage <u>IS</u> known (i.e. 140 acres blackened in this case), then the entry in Block 32 or 44 would be: (where **BL** stands for "blackened acres")

- 1. Fuel Model 2, Acres=BL90, Fuel Load=6.0, Intensity=High Or FM-2, BL90, 6.0, H
- 2. Fuel Model 11, Acres=BL50, Fuel Load=8.0, Intensity=Mod Or FM-11, BL50, 8.0, M

ARIZONA

For Wildland Fire, including Containment and Appropriate Management Response, and Wildland Fire Use incidents on units within the State of Arizona, insert the following information in Block 32 or 44 on each ICS-209.

^{*} If feasible, the acreage, fuel load, and intensity reported should be blackened acreage.

1- Predominant **National Fire Danger Rating System (NFDRS)** fuel model that the fire burned through. Use Reference Table (B) below. If feasible, the acreage reported should be blackened acreage.

EXAMPLE 1: At the time the ICS-209 is submitted, the total perimeter acres being reported in Block 15 is 1,200. The difference in the acreage since the last submission of the ICS-209 is 200. If of the 200 acres, the specific blackened acreage <u>IS NOT</u> known, then the entry in Block 32 or 44 would be: (where **PA** stands for "perimeter acres")

1. Predominant Fuel Model B, Acres=PA200

Or FM-B, PA200

EXAMPLE 2: At the time the ICS-209 is submitted, the total perimeter acres being reported in Block 15 is 1,200. The difference in the acreage since the last submission of the ICS-209 is 200. If of the 200 acres, the specific blackened acreage <u>IS</u> known (i.e. 140 acres blackened in this case), then the entry in Block 32 or 44 would be: (where **BL** stands for "blackened acres")

1. Predominant Fuel Model B, Acres=BL140

Or

FM-B, BL140

REFERENCE TABLES

(A) FIRE BEHAVIOR REFERENCE TABLE

	FUEL MODEL	FUEL LOAD*	INTENSITY
Grass			
1	Short Grass (1-ft)	.74	L, M, H
2	Timber w/grass understory	4.0	L, M, H
3	Tall Grass (2.5 ft)	3.0	L, M, H
Brush			
4	Chaparral (6 ft)	13	L, M, H
5	Brush (2 ft)	3.5	L, M, H
6	Brush, dormant, hardwood slash	6.0	L, M, H
7	Southern Rough	4.9	L, M, H
Timber			
8	Closed timber litter	5.0	L, M, H
9	Hardwood Litter	3.5	L, M, H
10	Timber (litter and understory)	12.0	L, M, H
Slash			
11	Light	11.5	L, M, H
12	Medium	34.6	L, M, H
13	Heavy	58.1	L, M, H

^{*}Total fuel load, dead and live <3-inches, in tons/acre. Use this number only as an average for estimating tons/acre.

(B) NATIONAL FIRE DANGER RATING SYSTEM (NFDRS)

FUEL MODEL

GRASS			
<u> </u>			
Α	Western Annuals		
L	Western Perennials		
S	Tundra		
C	Open Pine with Grass		
T	Sagebrush with Grass		
Ν	Sawgrass		
BRUSH			
В	Mature Brush (6 feet)		
0	High Pocosin		
F	Intermediate Brush		
Q	Alaska Black Spruce		
D	Southern Rough		
TIMBER			
Н	Short-needled pine (w/normal dead)		
R	Hardwoods with leaves (Spring)		
U	Western long-needled pine		
Р	Southern long-needled pine		
Ε	Hardwoods without leaves (Fall)		
G	Short-needled pine (w/heavy dead)		
SLASH			
K	Light slash		
J	Medium slash		
I	Heavy slash		